



## Material Handling and Packaging



### Caddies



Seamless high-impact plastic is durable and chemical resistant. Fits most hotel and janitorial carts. Maxi accommodates up to four and one quarter inch diameter bottles..

<b>CM48</b>	<b>MAID CADDY</b> <i>Dimension: 5-1/4" X 16" X 11"</i>	<b>Each</b>
<b>CM49</b>	<b>MAXI MAID CADDY</b> <i>Dimensions: 8" X 19" X 13-1/2"</i>	<b>Each</b>

### Hand Trucks

#### Convertible Hand Trucks



This appliance hand truck has an 800 pound load capacity and a toe plate measuring 5-1/2" x 24". The tires are 8" x 2-1/2" on solid rubber wheels. Additional features include fenders, anti-scratch vinyl protectors, and stair climbers. The axle is 5/8" with plastic ball bearing, mag style hubs. Color may vary.

<b>23-020-02-5</b>	<b>CONVERTIBLE HAND TRUCK</b>	<b>Each</b>
--------------------	-------------------------------	-------------



This heavy duty hand truck converts from the traditional upright position to a platform position and is able to carry loads of 600 or 500 pounds depending on the position. The tires are 8" x 2-1/2" and composed of solid rubber. There are also 3" x 1-1/4" heavy duty swivel casters which are used to steer when in the platform position. The axle is 5/8". The hubs are plastic ball bearing, mag style. The toe plate measures 9" x 14". Color may vary.

<b>AM5505</b>	<b>HANDTRUCK, CONVERTIBLE 2 WAY</b> <b>500-600 POUND CAPACITY</b>	<b>Each</b>
---------------	--	-------------



## Material Handling and Packaging



### Hand Trucks

#### Convertible Hand Trucks

Sorry,  
No Picture  
For This  
Item.

This hand truck has a custom design handle frame and a 700 pound load capacity. The toe plate measures 9" x 14". The tires measure 8" x 2-1/2" and are solid rubber. This hand truck also comes with fenders, 5/8" axle, and plastic, ball bearing, mag style hubs. Color may vary.

**AM8705 DELUXE STACKER HAND TRUCKS Each**



This hand truck is constructed of 1-1/4" reinforced tubular steel. The frame is custom designed for years of durability. In its upright position the load capacity is 800 pounds, when converted to the platform position the load capacity is 700 pounds. 10" Pneumatic Wheels 5" Heavy Duty Swivel Casters Heavy duty Steel ball bearing hubs Large fenders and Anti-Scratch Vinyl Frame Runners 5/8" axle Toe plate measures 9" x 18". Color may vary.

**AM9505-VS BIG FRAME CONVERTIBLE HAND TRUCKS Each**



**Load Capacity: 700 lbs. Upright  
900 lbs. Platform**

Tires: 10" Pneumatic

Toe Plate: Extra Large

Frame: 1-1/4" Tubular Steel Frame

Casters: 5" Extra Large Swivel

Features: Aluminum Handle with Quick Release Mechanism

Fenders: Large

**23-250-02 HAND TRUCK, ALUMASTEEL, INDUSTRIAL DOLLY Each**

Sorry,  
No Picture  
For This  
Item.

Light weight all aluminum handle assembly and steel frame for maximum strength. 850 LB Capacity in upright position. 700 LB Capacity in platform position.

**23-540-02 HEAVY HAULERS HAND TRUCK Each**



## Material Handling and Packaging



### Hand Trucks



Utility hand truck with a 300 pound load capacity. The solid rubber tires are 8" x 1.75" on a 5/8" axle. Hubs: Steel Ball Bearing Toe plate measures 7" x 14". Color may vary.

**AM5503****UTILITY HAND TRUCKS****Each**

This hand truck has a 600 pound load capacity. The wheels are solid rubber, 10" x 2-1/2", with mag style fenders. The axle is 5/8" and the hubs are plastic ball bearing. The toe plate measures 9" x 14". Color may vary.

**AM5508****EZ MOVER P-HANDLE SOLID HAND TRUCK****Each**

This appliance hand truck has an 800 pound load capacity and a toe plate measuring 5-1/2" x 24". The tires are 8" x 2-1/2" on solid rubber wheels. Additional features include fenders, anti-scratch vinyl protectors, and stair climbers. The axle is 5/8" with plastic ball bearing, mag style hubs. Color may vary.

**AM6000SR****HAND TRUCKS-APPLIANCE-WITH RATCHET BELT ASSEMBLY****Each**

The load capacity is 800 pounds. 10" x 2.5" pneumatic wheels. Steel ball bearing hubs. Large fenders. 5/8" axle. Toe plate measures 9" x 20". Color may vary.

**AM9518-20****BIG FRAME HAND TRUCKS****Each**

### Industrial Dollies

#### Drum Dollies



Add mobility to drum containers. Plastic, professional grade construction. 24-3/8" diameter x 7-1/8" high. Color: Black

**RM2650****DRUM DOLLY****Each**

## Material Handling and Packaging



### Industrial Dollies Furniture Dollies



18" x 30" furniture dolly with carpet-covered birch wood raised end members to protect against scratching and 3" swivel casters. 700 pound load capacity.

**AM1830 FURNITURE DOLLY** Each

### Receptacle Dollies



Structural foam molded, extremely durable. Attaches to 20, 32, 44 and 55 gallon containers. Vented to keep from suctioning to container.

**12-407-06 ROUND RECEPTACLE DOLLY** Each

*Fits items:*

*CM2000-20 Gallon Receptacle*

*CM3200-32 Gallon Receptacle*

*CM4444-44 Gallon Receptacle*

*CM5500-50 Gallon Receptacle*

**CM402112413 3" NON MARKING CASTER** Each

Replacement caster for receptacle dolly

Dolly for square receptacles. Black

**CM2803 SQUARE RECEPTACLE DOLLY** Each

*Fits items:*

*CM32-32 Gallon Square Receptacle*

*CM4000-48 Gallon Square Receptacle*

*-55 Gallon Square Receptacle*



Dolly for square receptacles. Black

**CM2803 DOLLY, SQUARE RECEPTACLE** Each

*For 32, 48 & 55 gallon square receptacles*



## Material Handling and Packaging



### Industrial Dollies

#### Receptacle Dollies

##### Tandem Dolly



For efficient dual collection of recyclables and general waste. Holds two Brute® containers (not included). Two heavy-duty 8" wheels and four swivel casters for easy mobility. Folds upright for space efficiency. Cart Type: Dolly; Capacity (Weight): N/A; Cart Capacity: N/A; Height: 8 in. Shipping Weight 21 lbs.

- For efficient dual collection of recyclables and general waste.
- Holds two Brute® containers (not included) in mix-and-match colors and sizes.
- Two heavy-duty 8" wheels and four swivel casters for easy mobility.
- Folds upright for space efficiency.

**12-646-06****FOLDING TANDEM DOLLY, HOLDS 2 CONTAINERS****Each**

### Ladders

#### Platform Ladders



Meets or exceeds ANSI and OSHA safety codes for home or office use. Lightweight, yet sturdy. Folds to only 3-1/2" deep for storage. Large platform for safety, 22" high. Extruded aluminum 3" serrated steps. Self-closing pail shelf with rag rail and tool holders. Slip-resistant rubber foot caps. ANSI Type III, Household, 200-lb. duty rating. 18w X 26 spread X 54h. Shipping. wt. 8 lbs. WARNING: Ladder will conduct electricity. Do not use where contact may be made with live electrical circuits. (Can not ship UPS.)

**DLASPL1784****PLATFORM LADDER****Each**

Meets or exceeds ANSI and OSHA safety codes for household use. Locking 36" high platform provides large standing area. Top rail for safety and convenience. Deeply serrated extruded aluminum steps for security. Slip-resistant foot caps. ANSI Type III, Household, 200-lb. duty rating. 18-3/8w x 31 spread x 62-1/4h. Shipping wt. 9 lbs. WARNING: Ladder will conduct electricity. Do not use where contact may be made with live electrical circuits. (Cannot ship UPS.)

**LBASPL5663****3' ALUMINUM EURO PLATFORM LADDER****Each**

## Material Handling and Packaging



### Ladders

#### Step Ladders



For convenience, portability and compact storage. It's extremely versatile. Each Ultra Step Fiberglass is adjustable in one-foot increments and is perfect for use on stairs, against vertical surfaces and more. So it is perfect for electrical contractors and other areas where electricity is present.

**24-008-03 LADDER, 8', FIBERGLASS, WERNER Each**



For convenience, portability and compact storage. It's extremely versatile. Each Ultra Step Fiberglass is adjustable in one-foot increments and is perfect for use on stairs, against vertical surfaces and more. So it is perfect for electrical contractors and other areas where electricity is present.

**24-012-03 12' FIBERGLASS LADDER Each**



Meets or exceeds ANSI and OSHA safety codes. Select ladder of proper duty rating to support combined weight of user and materials. Qwik Step feature for opening ease. Lightweight yet sturdy. Folds flat to only 2" deep. Loop top handrail, steel legs and serrated steps. Top step is 24" high. ANSI Type III, Household, 200-lb. duty rating. 16-7/8w x 19-1/2 spread x 41h. Shpg. wt. 9 lbs. WARNING: Metal ladders conduct electricity. Do not use where contact may be made with live electrical circuits. Almond.

**24-560-03-1 LADDER, STEP, ALUMINUM WHITE Each**



Meets or exceeds ANSI and OSHA safety codes For light institutional and frequent household use. Channeled nonconductive fiberglass rails for strength and corrosion resistance. Deeply serrated U-channel 3" steps. Bracing on top and bottom step, and top and bottom rear brace provide strength and stability. Yellow molded plastic top holds a quart paint can and has slots for small hand tools. Pinch-resistant, heavy-gauge outside side locks. ANSI Type II, Commercial, 225-lb. duty rating. 22-1/4w x 43-1/2 spread x 72h. Shipping. wt. 16 lbs. (Cannot ship UPS.)

**DLFG259206 6' FIBERGLASS STEP LADDER Each**

## Material Handling and Packaging



### Ladders

#### Step Stools



Three-Step Step Stool. For electricians, light institutional and frequent household use. Non-conductive green fiberglass rails with yellow aluminum top cap. 3" serrated steps, slip-resistant foot caps. Pinch-resistant side locks. 17"w x 22" spread x 24"h.

**24-402-03**

**STEP STOOL FIBERGLASS**

**Each**

### Mopping Housekeeping Carts

#### Custodial Carts



25 Gallon heavy-duty zippered vinyl bag. Accommodates one 26 or 35 quart mop bucket with wringer. Vinyl bag replacement and locking compartment available. Dimensions 38-1/2" X 20-1/2" X 38-1/2" Colors: Blue (stock), Bronze

**CM174**

**JANITOR CARTS**

**Each**



Cart with 25 gallon heavy-duty zippered vinyl bag and folding tray. Accommodates two 25 or 35 quart buckets with wringers. Dimensions: 38-1/2" X 20-1/2" X 38-1/2". Color: Blue

**CM178**

**CONVERTIBLE JANITOR CARTS**

**Each**



Structural plastic shelves and a steel frame make this cart durable and economical. Features 3" swivel casters and a 4 bushel, yellow duck bag. (Shown with combo bucket- not included) 39-1/2" X 18" X 34". Color: Blue.

**CM271**

**PORT-A-CART, W/PLASTIC TRAYS**

**Each**



Structural plastic frame folds for storage and includes a 6 bushel vinyl bag. Shown with optional 10 pocket caddy bag, #277

**CM275**

**BLUE FOLDING CART**

**Each**

37-1/2"X 28"X 36-1/4"

**CM276**

**YELLOW REPLACEMENT VINYL BAG**

**Each**

29-1/2"X 20-1/2"X 20", 6/BX

**CM277**

**YELLOW POCKET CADDY BAGS**

**Each**

24"X 19"

## Material Handling and Packaging



### Mopping Housekeeping Carts Custodial Carts Parts & Accessories



Vinyl bag, Zippered. 25 gal, 94.75 liter Yellow Vinyl Zippered Bag 38 1/2" X 20 1/2" X 38 1/2" (w/ Handle -Fold) 97.79cm X 52.07cm X97.79cm. Colors: Blue, Bronze.

**CM176**

**VINYL BAG REPLACEMENTS**

**Each**



Locking compartment for CM174 and CM178. Color: Yellow

**CM177**

**LOCKING COMPARTMENTS**

**Each**



**Material Handling and Packaging**



**Mopping Housekeeping Carts**



Finished in silver powder-epoxy, H.D. cloth Overall Dimensions. Square steel tube base for maximum strength-to-weight ratio. Modular design ships K.D. - reduces freight cost. Independently Mounted casters connected to base. High durability, non-marking 5" grey wheels. Durable, scratch-resistant powder-epoxy coating. Full wrap-around bumper for maximum protection.

<b>FI1805</b>	<b>JANITORIAL CART, PAINTED STEEL, TWO-MOP BUCKET FIXED DECK</b> <i>Length: 48.5" (123 cm). Width: 22" (56 cm). Height: 42.5" (108 cm).</i>	<b>Each</b>
<b>FI1806</b>	<b>JANITORIAL CART WITH 5" NON-MARKING WHEELS, PAINTED FOLD-UP TWO BUCKET DECK</b> <i>Length: 48.5" (123 cm). Width: 22" (56 cm). Height: 42.5" (108 cm).</i>	<b>Each</b>
<b>FI1807-SS</b>	<b>JANITORIAL CART WITH BROWN CLOTH BAG, BRUSHED STAINLESS STEEL</b> <i>Overall Dimensions. Length: 37" (94 cm). Width: 22" (56 cm). Height: 42.5" (108 cm).</i>	<b>Each</b>
<b>FI2144</b>	<b>HOUSEKEEPING CART, THREE SHELVES, STEEL WITH JUMBO CART</b> <i>30" W X 24" D X 36" H- Jumbo Cabinet (6" deeper than standard cabinet), low-profile handles, full wrap-around vinyl bumper, 8" black ball bearing wheels. Weight: 134 pounds</i>	<b>Each</b>
<b>FI32-CV</b>	<b>CANVAS BAG WITH DRAWSTRING AND FROMMETS, SQUARE BOTTOM, NATURAL</b> <i>Dimension: 20"L x 20"W x 29"H FOR 1128 CART (6 per case*. *Only sold per case.)</i>	<b>Each</b>
<b>FI19-CL</b>	<b>CANVAS BAG FOR FI1806 JANITORIAL CART</b> <i>Heavy duty cloth (medium) loops and snaps, square bottom, Brown. 6 each per case* Weight: 7 pounds per case. *Only sold per case.</i>	<b>Each</b>

## Material Handling and Packaging



### Mopping Housekeeping Carts



Two shelves in a 30" L x 18" W x 30"H cabinet finished in powder-epoxy Beige, gooseneck handles, full wrap-around vinyl bumper, 8" black ball bearing wheels. Overall Dimensions: Length: 58" (147 cm). Width: 21" (53 cm). Height: 44" (112 cm). Square steel tube base for maximum strength-to-weight ratio. Independently mounted casters connected to base. Widest possible wheel track for maximum stability. Full wrap-around bumper with no exposed fasteners. Durable, scratch-resistant powder-epoxy coating. 8" wheels optimize center of gravity and cart profile.

**FI2100 HOUSEKEEPING CART, PAINTED STEEL Each**

Cabinet ships dis-assembled, instead of an all welded cabinet. Overall Dimensions: Length: 58" (147 cm). Width: 21" (53 cm). Height: 44" (112 cm).

**FI2130 HOUSEKEEPING CART, STEEL, EXPORT VERSION OF #FI2100 Each**



Three shelves in a 30" L x 18" W x 36" H cabinet finished in powder-epoxy Sierra Brown, low-profile handles, full wrap-around vinyl bumper, 8" black ball bearing wheels. Overall Dimensions: Length: 58" (147 cm). Width: 21" (53 cm). Height: 47" (119 cm). Square steel tube base for maximum strength-to-weight ratio. Independently mounted casters connected to base. Widest possible wheel track for maximum stability. Full wrap-around bumper with no exposed fasteners. Durable, scratch-resistant powder-epoxy coating. 8" wheels optimize center of gravity and cart profile.

**FI2104 HOUSEKEEPING CART, PAINTED STEEL Each**

### Shelving



Easily installed on toilet partition or wall. Stainless steel, satin finish. Pull-down shelf returns to upright position when not in use. 14-1/2" long, 5-3/4" wide (370 x 145mm). Patented.

**BW-287 FOLDING UTILITY SHELVES Each**



350-lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18 deep shelves, posts and shelf clips. Shelves adjust in 1" increments with compression clips. Shipping. wt. 56 lbs. Assembly required.

**LB109694 5 SHELF SHELVING, 36" X 18" X 75", GRAY Each**



## Material Handling and Packaging



### Storage Cabinets



Safe-Stor for flammables/combustibles. Cabinet full-height, hinged doors, 43" W X 18" D X 65" H

24-477-06

**CABINETS WITH HINGED DOORS**

**Each**

### Tilt Trucks



Heavy-duty durable one-piece structural foam construction. Reinforced ribbing provides added impact resistance. Smooth, easy-to-dump, easy-to-clean pan. Comfortable, molded, structural foam handles. Steel axle and large 20 x 2-1/4 wheels with pneumatic tires. Level capacity 7-1/2 cubic feet, up to 300 pounds. Dimensions: 32-3/4w x 57-1/2d x 28-1/4h. Shipping wt. 45 lbs.

23-642-01-9

**BIG WHEEL CARTS**

**Each**



Standard duty Huskee tilt truck with 12" rubber wheels with grease fittings, swivel wheels are 5" solid rubber. Capacity: 800 lbs, 1.1 cubic yards, 23.9 bushel, 222 gallon. Dimensions: 72-1/2" X 33-1/2" X 39-1/2", (12 ga. X 7/8" O.D. tube), axle 3/4" OD solid steel.

CM5833

**STANDARD DUTY HUSKEE TILT TRUCK**

**Each**



Heavy-Duty Tilt Truck with 2-12" solid vulcanized rubber wheels, 3" wide, cast iron hub, ball bearings with grease fittings; 2-5" heavy-duty solid rubber casters with ball bearings. Capacity: 2000 lbs., 1.1 cubic yards, 222 gallons. Dimensions: 72-1/2" X 33-1/2" X 39-1/2", (12 ga. X 7/8" O.D. tube), axle 1" OD solid steel reinforced.

CM5835

**HEAVY DUTY HUSKEE TILT TRUCK**

**Each**



Utility duty Huskee tilt truck equipped with deluxe roller bearing wheels and heavy-duty casters. Wheels are inset to fit standard office doorways and to reduce wall and door damage. This amazing tilt truck is easily handled by one person and can be easily cleaned with steam or high pressure hot water. Features a one piece extra long seamless industrial plastic construction. Capacity: 5/8 cubic yards.

CM5839

**UTILITY DUTY HUSKEE TILT TRUCK**

**Each**

## Material Handling and Packaging



### Utility Carts



This two shelf Utility Cart features 5" heavy-duty, non-marking grey casters for industrial use. Supports 200 lbs. per shelf.

<b>CM5800</b>	<b>UTILITY CART BEIGE OR GREY</b> 34-3/8" X 17-1/2" X 33"H	<b>Each</b>
<b>CM5805</b>	<b>UTILITY CART, BEIGE OR GREY</b> 40-3/8" X 25-1/2" x 33" H	<b>Each</b>

#### OPTIONAL SHELF

<b>CM5801</b>	<b>FITS CM5800</b>	<b>Each</b>
<b>CM5806</b>	<b>FITS CM5805</b>	<b>Each</b>

### Utility Trucks

#### Platform Trucks



One Handle Platform Trucks. Structural plastic construction and rounded corners protect against accidental wall and door damage. No bumpers required. Plastic construction will not rust, dent, crack, chip, peel or splinter unlike conventional metal or wood. All platform trucks come in charcoal grey and feature a heavy-duty, reinforced steel handle.

#### 24" x 48" DECK SIZE

<b>CM5860</b>	<b>UTILITY TRUCK</b> 700 Pound Capacity, 5" Casters	<b>Each</b>
<b>CM5865</b>	<b>STANDARD TRUCK</b> 1,200 Pound Capacity, 6" Casters	<b>Each</b>
<b>CM5870</b>	<b>HEAVY DUTY TRUCK</b> 2,200 Pound Capacity, 8" Casters	<b>Each</b>

#### 30" x 60" DECK SIZE

<b>CM5875</b>	<b>UTILITY TRUCK</b> 700 Pound Capacity 5" Casters	<b>Each</b>
<b>CM5880</b>	<b>STANDARD TRUCK</b> 1,200 Pound Capacity, 6" Casters	<b>Each</b>
<b>CM5885</b>	<b>HEAVY DUTY TRUCK</b> 2,200 Pound Capacity, 8" Casters	<b>Each</b>

## Material Handling and Packaging



### Utility Trucks

#### Platform Trucks



One hand platform utility truck without bumper. Removable handle finished in powder-epoxy silver. Reinforced steel corner pockets for handle. 8" grey wheels with case aluminum hubs.

**FI1586-B      WOOD DECK, ONE HANDLE, 24" x 48"      Each**



Structural foam platform with tough honeycomb construction supports heavy loads and won't rust, dent or splinter. Removable, black, powder coat finished steel handle has two cross braces to keep materials on deck. Four casters, two swivel. 1,000 pound capacity. Color: Dark gray.

**RM4436      48" X 24" PLATFORM TRUCK      Each**

**RM4466      60" X 30" PLATFORM TRUCK      Each**