



Specialty Supplies

Bottles and Sprayers

Foamers/Sprayers

Hydro Foamer



Application of diluted solution with a Hydro Foamer hose-end proportioners is easy. On and off functions are finger-tip controlled using a trigger on the spray nozzle. To rinse, the contridge container is disconnected using an easy to operate quick coupler, which is designed to allow either a full width spray or powerful jet stream when rinsing. This range of control helps personnel put the solution only where it's wanted. Capacity 96 oz.

HY481 HYDRO FOAMER 1 GALLON SPRAYER Each

COMMONLY REPLACED PARTS & ACCESSORIES

HY10061500	ROUND QUICK COUPLER	Each
GG572TFR	PISTOL NOZZEL WITH RUBBER GRIP	Each
HY10061900	O'RINGS	Each

Mist-O-Foamer



Multi-purpose sprayer, 1-gallon operating capacity. Ultraviolet resistant, translucent polyethylene tank. Extra-wide 3-1/4" mouth opening for easy fill and cleaning. Automatic or manual pressure relief valve with pressure indicator ring. Fast pressurizing, 10" non-corroding polymer pump. Replaceable pump cup. Chemical resistant polymer discharge valve with comfort grip. Chemical resistant leak proof seals in discharge valve and tip. Flexible 16" rotating polymer wand with adjustable polymer nozzle. 33" premium PVC hose. Wand storage clip on locking "D" type pump/carry handle.

PC10-P MIST-O-FOAMER 1 GALLON SPRAYER Each





Specialty Supplies

Bottles and Sprayers

Foamers/Sprayers



Gilmour sprayer with external pressure control valve for easy adjustment from 15 psi to 90 psi. Fast pressurizing polymer piston pump with adjustable pump seal and build-in filter screen can easily be serviced in field. No tools required. Pump handle easily adjusts for right or left hand or to any angle. Viton seals in pump, discharge valve and pressure control valve. 5/8 inch chemical resistant reinforced PVC hose. Molded contour frame with lumbar support. Storage compartment on service panel for extra spray tips. Built-in carry handle. No assembly required. Made in USA.

27-0408-01**SPRAYER, BACK PACK, GILMORE****Each**

Water pressure operated hose end sprayer. Accurately mixes cleaners with water while spraying at a pre-set 2 oz. per gallon ratio. Adjustable fan deflector for covering large areas; removable for a solid stream up to 30 feet. Durable polyethylene bottle.

GG73QG**HEAVY DUTY WASH GUN****Each**

Unique nozzle which produces smooth, thick foam with foaming product. Easily converts to regular spray nozzle. Replacement parts available.

IP7501**SPRAYER/FOAMER, PUMP UP****Each**

Specialty Supplies

Bottles and Sprayers

Foamers/Sprayers



STRAIGHT NECK SPRAYERS

These sprayers have an orange HDPE translucent tank, so it's easy to see the fill level, and an ergonomically-designed poly pump handle with wand storage slots.

Product Number	Working Capacity	Flow Control	Extension Wand/Nozzle	Spray Pattern	Top/Neck Style	Seals	Hose	Strap	Master Weight
RL1991	1 Gal.	Brass; Heavy Duty	Brass/Brass	Flat Fan	Straight Neck	VITON	Industrial Grade	No	4.38 lbs.
RL1992	2 Gal.	Brass; Heavy Duty	Brass/Brass	Flat Fan	Straight Neck	VITON	Industrial Grade	Yes	5.25 lbs.
RL1993	3 Gal.	Brass; Heavy Duty	Brass/Brass	Flat Fan	Straight Neck	VITON	Industrial Grade	Yes	6.25 lbs.

FUNNEL TOP SPRAYERS WITH CAST METAL HANDLE

These sprayers have an orange HDPE translucent tank, so it's easy to see the fill level, and a rugged cast metal pump handle.

Product Number	Working Capacity	Flow Control	Extension Wand/Nozzle	Spray Pattern	Top/Neck Style	Seals	Hose	Strap	Master Weight
RL1994	1 Gal.	Brass; Heavy Duty	Brass/Brass	Flat Fan	Funnel Top	VITON	Industrial Grade	No	4.75 lbs.
RL1996	2 Gal.	Brass; Heavy Duty	Brass/Brass	Flat Fan	Funnel Top	VITON	Industrial Grade	Yes	5.75 lbs.
RL1997	3 Gal.	Brass; Heavy Duty	Brass/Brass	Flat Fan	Funnel Top	VITON	Industrial Grade	Yes	6.62 lbs.



Specialty Supplies

Bottles and Sprayers

Spray Bottles & Triggers



Continental bottles are molded of high density polyethylene. All bottles are standard with a 28/400 neck finish and molded in graduations.

CM916B	16 OZ.	Each
CM924B	24 OZ.	Each
CM932B	32 OZ.	Each

Adjust-O-Spray Trigger Sprayer has set the standard for the industry, with a variety of colors and tube lengths to fit every spraying need. Adjust-o-Spray Sprayers are adjustable from a fine mist to a steady stream. They come standard with a 28/400 closure and dip tube filter.

CM922H	7-1/4" DIP TUBE	Each
CM922HL	9-3/4" DIP TUBE	Each

The largest capacity trigger sprayer available today. Outputs 3.3cc per stroke. Adjustable from a fine mist to a jet stream and has a full off position. Leak proof, even if overturned. Pow-R Spray comes standard with a 28/400 closure and dip tube filter. Red/White or Blue/White both with a standard 9" dip tube length.

CM3333	POW-R-SPRAYER	Each
---------------	----------------------	-------------

Door Stops



All rubber door stop. 15/16" high x 1 3/8" wide x 4 3/4" long.

SHDS32	RUBBER DOOR STOP	Each
---------------	-------------------------	-------------



5" durable cast iron, aluminum finish, kick down style door holder. 3" floor clearance with non-marking rubber shoes. Hold open and release are activated with a touch of the foot.

SHGJL-555	KICK DOWN DOOR HOLDER	Each
------------------	------------------------------	-------------

Specialty Supplies

Door Stops

Soft Stop Door Wedge



The **Soft Stop Door Wedge** fits securely between the door and doorjamb to keep doors open. Made from durable, dense foam, the Door Wedge is sturdy and braces the door securely, yet will not damage the door or bend the hinge. With the Door Wedge, the floor remains clear, making it an ideal tool for cleaning and moving crews.

24-6064-01-05 SOFT STOP DOOE WEDGE

Each



- Fits in door jamb, above the hinge to hold door open securely
- Easy to install, durable
- Holds standard and auto-closing doors open



Recommended uses

- Floor Maintenance
- Floor Cleaning
- Moving

Recommended for

Any type or size door

Wedge It Door Stop



A versatile, portable, temporary, light weight door stop. Holds door open to a 90 degree angle from any of 3 different locations. Will work on top of the door, over the hinge, or on the floor.

24-6467-01-8 WEDGE IT DOOR STOP

Each

Drum Pumps



Fits 5 to 30 gallon drums with a 3/4" or 2" openings. Adjust to dispense 2, 4, 6 or 8 ounces per stroke. Chemical and acid resistant design.

CM330 ADJUSTABLE PLASTIC DRUM PUMP

Each

Fits 15, 30 and 55 gallon drums with a 1 1/2" or 2" opening. Dispenses 22 ounces per stroke

CM495 NICKEL PLATED PUMP

Each



Specialty Supplies

Electrical Tape




Provides fast, sure insulation for any wiring job. Flexible backing conforms to sharp contours and holds its grip. Works in temperatures up to 176°F (80°C) and on systems of no more than 600V. 170% elongation. No. 21 tensile strength. 7 mil. Meets military specification no. 101E52811A

24-3460-10-2 ELECTRICAL TAPE, BLACK **Case**
3/4" X 60' Roll

Erasers

Finney Kleeners



Finney Kleener designed especially for teachers and custodians, for black boards.

FK1200	12" x 2" x 2" FINNEY KLEENER	Each
FK1800	18" x 2" x 2" FINNEY KLEENER	Each

Extension Poles

Telescopic Handles



Telescopic handles are corrosion resistant anodized aluminum handles with nylon locking collars are built with the professional in mind. Available in lengths from 8' to 24'.

CM2550-08	4'-8'	Each
CM2550-12	6'-12'	Each
CM2550-18	6'-18'	Each
CM2550-24	8'-24'	Each

Flags

United States Flag



Outdoor flag made of knitted polyester. 48" x 72"
24-103-12-46 FLAG, UNITED STATES, 4' x 6'

Each

Specialty Supplies

Floor Protectors

Caster Tire Floor Savers



CasterTire Floor Savers convert damaging hard plastic casters into soft, quiet, floor saving wheels. Standard hard plastic casters cause scratching and damage to VCT and hard surface floors by grinding in dirt and grit. Our universal CasterTire is made of soft non-marking vinyl and is recommended to protect all surfaces especially VCT, hardwood and ceramic tile.

24-410-02

CASTER TIRE FLOOR SAVER

Each



Use CasterTire Floor Savers to:

- Fit over existing hard plastic caster wheels
- Prevent floor damage and reduce maintenance costs
- Assure casters roll smoothly and quietly
- Prevent sliding and skidding
- Non-marking
- One size fits 1-3/4" - 2-1/4" plastic casters
- Free installation tool with the purchase of 100 piece packages



Chair Glides



Light Duty, non-swivel & Free Turning, steel glide is designed for light duty applications. Zinc plated stud and plastic base with nickel plated steel shell for improved appearance (black plastic base has a black oxide shell).

24-138-02

CHAIR GLIDE, LIGHT DUTY LEVELING, 3/8 – 16 X 1-1/2"

Each



Front chair foot. Black rubber, steel base. Fits 5/8" O.D. Tubing

24-001-02

FRONT FOOT CHAIR GLIDES

Each

Rear chair foot. Black rubber. Steel base. Fits 5/8" O.D. Tubing.

24-002-02

REAR FOOT CHAIR GLIDES

Each



Specialty Supplies

Floor Protectors

Chair Glides



Steel base non-swivel glide fits all chair legs with an outside diameter of 3/4" and an inside diameter of 5/8". 1-1/16" base.

SH1756**3/4" STEEL BASE CHAIR GLIDE****Each**

Machine Screw Chair Glides



Adjustable height steel base machine screw Swivelglide with 1/4-20. Threaded stem. Fits 5/8" outside diameter chair legs. 1-1/4" base.

SH2562-ST**ADJUSTABLE HEIGHT SWIVELGLIDE, 5/8"****Each**

3/8-16 steel base machine screw glide with a 1" threaded stem. 1-3/16" steel base

SH5761**3/8-16 MACHINE SCREW STEEL BASE CHAIR GLIDE****Each**

Nail Chair Glides



Steel base Nail Glides. Base Diameter: 7/8.

24-087-02**STEEL BASE NAIL CHAIR GLIDES****Each**

Nylon base nail glide for wooden furniture. 1-1/16" base. 100 per box.

SH2010NB**NYLON BASE NAIL GLIDE****Box**

Specialty Supplies

Floor Protectors

Slip/Snap On Chair Glides

Cap-A-Glide



Save a floor with Pioneer's Cap-A-Glide. Our snap on base with heavy duty felt pad helps protect floors from scratches. Protects any type of hard floor from scratches, guards against rust stains, and reduces noise associated with sliding furniture. Fits most chair glides from 1-3/16" to 1-1/4". Including thicker nylon based glides. NO MORE TENNIS BALLS!!! 100 each/Bag.

PC4000

PIONEER CAP-A-GLIDE

Bag



Clear Sleeve Floor Protectors prevent damage normally caused by moving furniture. The transparent, flexible sleeve securely forms to the size and shape of chair or table legs, eliminating the need for adhesive. The cushioned felt tip lasts longer than standard felt pads, dampens noise and distributes weight evenly for better furniture wear. Use Clear Sleeve Floor Protectors to protect floor surfaces from scratches and rust stains. Distribute weight evenly to increase furniture longevity and reduce noise associated with moving furniture.

24-003-02

**CLEAR SLEEVE FLOOR PROTECTOR,
1" X 1-3/16"**

Each



- Recommended for all hard floor surfaces.
- Versatile: One design fits multiple shapes and sizes.
- Attractive: Transparent sleeve blends in with most furniture.

24-003-02



Specialty Supplies

Floor Protectors

Slip/Snap On Chair Glides



Extends service life of the chair glide. Quieter Classrooms. No more black marks. Fits 3/4" to 1-? " leg.

24-133-02**CHAIR SLIP ON GLIDES****Each**

Floor Savers provide floor protection for chairs with sled bases.

- Peel and stick backs
- Pads stick tight
- One size fits most rail sizes
- Apply over existing glide or around rail
- Perfect for stackable chairs
- Formed sides and stress relieving design ensure the pad will stay on

24-440-02**WRAP-AROUND FLOOR SAVER****Each**

Yes, there is an alternative to tennis balls. The SHCAR114 is nylon. Cap with carpet fibers molded in, not glued on. Ideal protective cap for glides with base diameter of 1-1/4". Will not leave black marks or scuffs on floors. For use on tile or wood floors. Once installed, will not peel or fall off the chair tip.

SHCAR114**1 1/4" SNAP-ON CARPET GLIDE****Each**

Tan, non-marking plastic chair tips for legs with an outside diameter of 7/8". Will never dry out. Mar and scuff resistant.

SHRCT78**7/8" CHAIR TIP, DOMED****Each**



Specialty Supplies

Floor Protectors

Swivel Chair Glides



Steel base Swivelglide fits all chair legs with an outside diameter of 5/8", 9/16", 3/4" or 1", and 1-1/4" base.

SWIVELGLIDE, 7/8" INSIDE DIAMETER

SH1103	1" OUTSIDE DIAMETER	Each
SH1623	9/16" OUTSIDE DIAMETER	Each
SH1626	5/8" OUTSIDE DIAMETER	Each

SWIVELGLIDE, 1/2" INSIDE DIAMETER

SH3625	5/8" OUTSIDE DIAMETER	Each
--------	-----------------------	------

SWIVELGLIDE, 5/8" INSIDE DIAMETER

SH3757	3/4" OUTSIDE DIAMETER	Each
--------	-----------------------	------



Nylon base Swivelglide fits all chair legs with an outside diameter of 5/8", and an inside diameter of 7/8". 1-1/4" base.

SH1626NB SWIVELGLIDE, NYLON BASE, 5/8" Each

Nylon base Swivelglide fits all chair legs with an outside diameter of 5/8", and an inside diameter of 1/2". 1 1/4" base.

SH3625NB SWIVELGLIDE, NYLON BASE, 5/8" Each



Steel base Swivelglide fits all square chair legs with an outside diameter of 7/8" and an inside diameter of 3/4". 1-1/16" base.

SH2876 STEEL BASE SQUARE SWIVELGLIDE, 7/8" Each



Specialty Supplies

Grabbers and Pickers

E-Z Reacher



Made of anodized aluminum, stainless steel and high strength ABS plastic. The durable E-Z Reacher's replaceable rubber cups are easy to clean. The premier pick-up tool for landscape maintenance, industrial applications, gardeners, and homeowners. No bending, stretching, or straining, so it's easy on your back, knees and hands. Use it to: Reach limbs and hanging plants without ladders Pull out hard-to-reach items Reach items high on shelves Grab dirty or soiled objects you wouldn't touch with your bare hands Pick up trash from roadsides and walking paths Remove debris from restroom waste receptacles Grab litter from ponds, pools, and fountains without getting wet Remove pine cones, nuts, and tree debris Move small rocks Dispose of dead animals Replace light bulbs in hard-to-reach spots Pick up tiny items like pins or pocket change Move water hoses

AI32-S**E-Z REACHER PICKER, 32"****Each**

Replacement cups for the E-Z Reacher, AI32-S. Easily replace damaged or worn rubber gripper cups to extend the life of your E-Z Reacher's. 1" diameter rubber cups make gripping with your Reacher a breeze. Durable solid-rubber construction for long life. Easy to clean and dishwasher safe. Available in packs of 2.

AI345**E-Z REACHER REPLACEMENT RUBBER CUPS****Each**

Nifty Nabber



Gear driven claws grab bottles, cans and debris; over-molded "fingers" provide excellent gripping power - pick up cigarette butts and small objects with ease.

UENN90**36" NIFTY NABBER****Each**

Specialty Supplies

Gum Removing Tools & Products

Bazooka Gum Remover



A clear citrus based solvent aerosol formulated for the removal of chewing gum in conjunction with the Bazooka Gum Removal system. Do not use on carpet or tiles with bitumen or heavy latex backings.

10-090-02 BAZOOKA GUM REMOVER, 12 CANS/CASE Case



The patented Bazooka gum removal machine lets you stand up while instantly removing spot after spot of ground-in gum, sticky candy and adhesive from carpets, hard floors and concrete. Choose from three models to best suit your needs, original Bazooka with 25-ft cord, battery operated Bazooka Cordless or the Bazooka Jr. with a shorter body housing to clean under tables with ease. Use in conjunction with the Bazooka Spot Remover aerosol. Complete with carpet brush. 115V, 2.9 amps. High-impact ABS.

16-1420-09 BAZOOKA GUM REMOVER Each



COMMONLY REPLACED PARTS & ACCESSORIES

10-090-02	BAZOOKA GUM REMOVER AEROSOL <i>(12 Cans/Case)</i>	Case
17-3473-02	BRUSH, REPLACEMENT, BROWN	Each

Freeze Off Gum Remover



Instant freeze spray that embrittles chewing gum and wax for easy removal from carpet and hard flooring. Will not discolor carpet fibers, harm carpet backing, or soften tile. Also excellent under tables and chairs. Includes extension tubes for easier application to remote areas.

MB183-12 PIONEER FREEZE-OFF GUM REMOVER AEROSOL Case

(12 cans per case)

Features:

- Quick Freezing Action
- Leaves No Residue, Ring or Stain on the Surface
- Finger Friendly Actuator Helps Prevent Finger Tip Chill and Fatigue
- Will Not Discolor
- Carpet Fiber





Specialty Supplies

Gum Removing Tools & Products

Gum D Solve



Natural citrus based, environmentally friendly. This product is a ready-to-use solution for gum and most graffiti removal. ALWAYS test product on surface and/or fabric for compatibility and color stability in an inconspicuous area before use. Gum D'Solve can also be used for removing tape residue and spots.

PC1053-QT**PIONEER GUM D'SOLVE****Quart***(12 quarts per case)*

Pioneer Gum Scraper



Using Pioneer Chemical's Gum Scraper™, lightly scrape surface of gum, to allow Gum D' Solve™ and/or Freeze Off™ to penetrate into gum.

27-480-05**GUM SCRAPER****Each**

REPLACEMENT PARTS FOR GUM SCRAPER

17-2490-02	SCRAPER BLOCK	Each
MC91772A830	SCREW, PAN HEAD, 5/8"	Each
PC02204F	PUTTY KNIFE, 1-1/4"	Each

Gym Floor Finish Supplies

Gym Floor Finish Applicators



The perfect tool for fast and even "snowplow" application of sealers and finishes. Rust-proof PVC head-handle swivels 180 degrees. For use with flocked foam sleeves.

BT1558**24" SWIVEL HEAD FLOOR COATER****Each**

Specialty Supplies

Gym Floor Finish Supplies

Gym Floor Finish Applicators



Specially designed Nylfoam® applies a precise, smooth, lint-free finish to wood, resilient, concrete, tile and slate surfaces. Use with waterborne and mild solvent based finishes.

PI6003

FLOOR COATER REFILL

Each

Gym Floor Miscellaneous Supplies

Court Clean



One person can easily wet-mop your entire gym floor and you can start using it immediately! Simply dampen the supplied 8' custom towel and attach it to the Courtclean. Then, instead of pushing that old dust mop with wet towels wrapped around it, pull the Courtclean up and down the floor. To clean, simply remove and launder the towel. Courtclean is also an efficient way to re-finish the gym floor when used with appropriate products. 1 custom pad/towel (8' long) and 1 rope. Replacement towels can be ordered as part number TK2096. Each towel is made of high quality and long lasting 100% terry cloth to gently yet thoroughly clean the floor surface. Simply wash after use. Measures 20" x 96".

TK-8

8' COURTCLEAN

Each

TK2096

COURTCLEAN TOWEL

Each

Pour Can



The world's greatest pour can. Allows a nice, straight puddle line to be poured ahead of your applicator. A must for the professional installer.

BC0303

POUR CAN

Each



Specialty Supplies

Gym Floor Finish Supplies

Microfiber Gym Floor Kit

**X5518-0148-5 48" MICROFIBER GYM FLOOR KIT****Kit****KIT INCLUDES:**

18-0048-5	50" MICROFIBER FLOOR CLEANING PAD (2 each)	Each
18-030-06	PIONEER EZ MOP (1 each)	Each
19-1215-07-48	48" MOP FRAME W/SCREWS (1 each)	Each



Hoses & Accessories

Hose Nozzels



Male hose threaded front for attaching accessories. Heavy-duty, full size, die cast zinc body. Ideal for commercial or industrial use. Insulated molded grip for spraying hot or cold water. Brass head insert for maximum resistance to extremely hot water. Solid brass valve stem with permanent adjusting nut. Hold-open clip for continuous spraying. Rust resistant stainless steel spring. Self-adjusting "duck" packing for lifetime leak proof seal.

27-5072-01 NOZZLE, WATERING/HOSE END, INSULATED GRIP Each



All brass valve system. Four large opening at nozzle tip for full flow. Replaceable front and rear O-ring seals for leak proof shut-off. Precise tip angle eliminates side spray. Adjustable from fine spray to needle stream to heavy rinse. Fast 3 turns from closed to open. Heavy-duty solid brass construction with comfort grip.

GG528 NOZZLE, WATERING/HOSE END, STRAIGHT Each



GG572TFR ZINC PISTOL WITH RUBBER GRIP Each

Specialty Supplies

Hoses & Accessories

Hose Nozzels



The deluxe adjustable pistol is made of zinc and adjusts from a fine mist to a jet stream. The rear handle controls water flow and shut-off. It also has a lock-on clip for constant spraying. For outdoor use with cold water only.

GG573TF DELUXE ZINC ADJUSTABLE PISTOL Each



This hose-end nozzle has a high impact spray that is great for washing walkways, driveways, and siding. High impact spray constructed of brass with a comfort grip. For outdoor use with cold water only.

GG58050 BRASS SWEEPER NOZZLE Each

Key Holders



A full 24" stainless steel chain permits use of keys at arms length at any angle without detachment. The spring retraction mechanism tested to over 100,000 cycles without failure. Backed by a Lifetime Factory Service Policy for consumers in U.S.A. & Canada. Available in textured chrome finish. Clip mount. Pocket-watch size, light weight 2 ½ ounces. 2" diameter chrome-plated steel case. Spring retraction force of 8 to 10 ounces. 1 ¼" OD (outer diameter) split ring. Great for anyone who needs quick access to his or her keys. Ideal for maintenance personnel, janitors, and maids.

KB0005-101	24" CHAIN, CHROME FRONT WITH HUSKEY, BELT CLIP	Each
KB026-009	24" CHAIN, CHROME FRONT WITHOUT HUSKEY, WITH TOOL POUCH	Each
KB031-003	24" CHAIN, CHROME FRONT WITHOUT HUSKEY, BELT CLIP	Each
KB031-005	24" CHAIN, CHROME FRONT WITHOUT HUSKEY, BELT LOOP	Each

The Huskey attachment allows the user to carry additional weight. A full 48" Kevlar cord and a belt loop for easy attachment. The spring retraction mechanism tested to over 100,000 cycles without failure. Backed by a Lifetime Factory Service Policy for consumers in U.S.A. & Canada. Available in textured chrome front. Pocket-watch size, light weight 2 ½ ounces. 2" diameter chrome-plated steel case. Spring retraction force is 8-10 oz for 48" cable heavy duty retraction. 1 ¼" OD (outer diameter) split ring. Ideal for maintenance/janitorial workers in Educational facilities.

KB020-658	BELT LOOP, TEXTURED CHROME	Each
KB020-666	CLIP-ON, TEXTURED CHROME	Each
KB020-829	CLIP-ON, CHROME WITH HUS-KEY	Each



Specialty Supplies

Key Holders



The Huskey attachment allows the user to carry additional weight. A full 24" stainless steel chain. The spring retraction mechanism tested to over 100,000 cycles without failure. Backed by a Lifetime Factory Service Policy for consumers in U.S.A. & Canada. Available in textured chrome front. Pocket-watch size, light weight 2 ½ ounces. 2" diameter chrome-plated steel case. Spring retraction force is 8-10 oz for the 24" chain, or the 48" cable heavy duty retraction. 1 ¼" OD (outer diameter) split ring. Ideal for maintenance/janitorial workers in Educational facilities.

KB020-029**CHROME KEY WITH HUS-KEY AND POUCH****Each**

A full 48" stainless steel 7x7 strand black nylon jacketed cable that minimizes friction and wear (95 lb. breaking strength). The spring retraction mechanism tested to over 100,000 cycles without failure. Backed by a Lifetime Factory Service Policy for consumers in U.S.A. & Canada Available color: Black Versatile back attachment is both belt clip and belt loop. The unit is packaged with a clip attachment, but also comes with a pin (attached to the back of the display card) to be placed in the pin holder. This pin enables the unit to be transformed into a belt loop. The belt loop slides over belts up to 1 ¾ Equipped with our patented ball-and-socket weight support mechanism weight attached to the cable is carried on the housing, rather than the internal loaded reel. The case is fabricated of industrial polycarbonate / super strong and corrosion resistant / same material used in bullet-proof glass. Spring retraction force of 8 to 10 ounces. 1 ½ OD (outer diameter) split ring. Great for anyone who needs quick access to his or her keys. Ideal for maintenance personnel, janitors, and maids that have to carry heavy loads on their key retraction.

KBS48**48" BLACK KEY CHAIN****Each**

The 301 Sidecar clip with leather pouch securely to your belt and can carry from 1 to 500 keys. If you have more or less keys than this we can't help you. To use your keys, just push the button. When you put them back you hear a satisfying click that lets you know your keys are securely held.

24-301-04**PIONEER SNAP OFF KEY HOLDER****Each****24-301-04-9****PIONEER SNAP OFF KEY HOLDER WITH POUCH****Each****24-333-04****PIONEER TONGUE FOR SNAP OFF****Each**

Specialty Supplies

Measuring Cups



Economy plastic measuring cup, Translucent plastic. Capacity: 8 oz.

24-020-11

MEASURING CUP, 8 OZ.

Each

Mops & Accessories

Pioneer EZ Mop Wringer Kit



X5519-111-04 PIONEER EZ MOP WRINGER KIT

Kit



Kit Includes:

- 1 Each Split Bucket With Roller Wringer
- 1 Green Tab Microfiber EZ Mop
- 1 Red Tab Microfiber EZ Mop
- 1 Telescopic Handle
- 1 Collapsible EZ Mop Frame

Colors Available:

Red, White, Blue, Yellow and Green



- 100% Polyester Microfiber
- Color Maintains Appearance
- Extra durability with Patented "Bonded Yarn" construction
- 750 Plus Launderings

COMMONLY REPLACED PARTS & ACCESSORIES

18-1018-4	EZ MOP MICROFIBER REFILL MOP, RED	Each
18-1018-5	EZ MOP MICROFIBER REFILL MOP, BLUE	Each
18-1018-9	EZ MOP MICROFIBER REFILL MOP, GREEN	Each
19-100-06	TELESCOPIC HANDLES FOR EZ MOP KIT	Each
19-030-06	EZ MOP HANDLE WITH 22" PLATE, 30 OZ. CAPACITY	Each
17-1258-01	REPLACEMENT CASTERS FOR SPLIT BUCKET	Each
19-1605-07-16	COLLAPSIBLE FRAME FOR EZ MOP KIT	Each
17-0530-02	CONTAINER, 30 OZ. CAPACITY FOR EZ MOP	Each



Specialty Supplies

Quick Coupler



Allows user to connect the water hose quickly and easily for washing down areas such as restrooms and/or kitchens. Set screws help prevent easy removal from hose bib.

17-0908-02**FEMALE WATER HOSE BRASS COUPLER WITH SET SCREWS** **Set**

Scrapers

Floor & Window Scrapers



Scrapers and Blades

These scrapers were designed for glass windows, doors and floors. All come with blade protector cover. CM2556 may be used with a telescopic handle.

CM2556	8"	Each
CM2563	12"	Each
CM2562	48"	Each

4" refill blades used for 2556, 2563, 2562. 10ea/pk 50ea/bx
CM2557 **REFILL BLADES FOR SCRAPERS** **Each**



Glazier Knives



High carbon precision angled blade w/steel head for glazing work.

27-4243-05**1-1/4 BENT GLAZIER KNIFE****Each**

Gum Scrapers



This tool makes gum removal easy. Five firm teeth take the work out of it. Apply the gum removal chemical, stroke it with the Gum-Getter and the gum will roll up for disposal. It works best on commercial carpet and can be used for a variety of spot and stain removal situations which require agitation.

27-150-05**GUM SCRAPER****Each**

Specialty Supplies

Scrapers

Gum Scrapers



Using Pioneer Chemical's Gum Scraper™, lightly scrape surface of gum, to allow Gum D' Solve™ and/or Freeze Off™ to penetrate into gum.

27-480-05

GUM SCRAPER

Each



REPLACEMENT PARTS FOR GUM SCRAPER

17-2490-02	SCRAPER BLOCK	Each
MC91772A830	SCREW, PAN HEAD, 5/8"	Each
PC02204F	PUTTY KNIFE, 1-1/4"	Each

Putty Knives



2" flexible putty knives. Rosewood. Contractor quality. Handle: Hardwood laminate, resin impregnated, rosewood color. Milled, shaped, ground & polished for a comfortable grip. Non-absorbent; resists water, paint thinners & solvents-practically indestructible. Permanently fastened to blade with brass plated steel compression rivets. Heavy duty eyelet for hanging. Blade: hardened and tempered high-carbon spring steel - maintains flex characteristics. Precision ground flex point for consistent feel. Polished to a mirror finish & clear coated to inhibit rust. Full tang construction (blade extends through entire length of handle) for maximum strength and durability.

27-4828-05

FLEX PUTTY KNIVES

Each



Professional quality putty knives. Black nylon solvent-resistant handle is designed for maximum safety and dependability. High-carbon, precision-ground steel blade is lacquered to prevent rust and extends through handle. The brass-plated, solid steel nail setting head can be used for setting drywall nails and other hammering jobs.

PC02200S PUTTY KNIFE, 1-1/4" STIFF Each

Recommended uses: loosen old putty, scraping paint, filling nail holes, remove wall coverings, and set Glazier's points.

PC02204F PUTTY KNIFE, 1-1/4" FLEXIBLE Each

Recommended uses: putty windows, filling nail holes.



Specialty Supplies

Scrapers

Replacement Blades



Key Features: Extra Sharp for Scraping, Cutting, Trimming. Heavy Duty. Fits All Standard Razor Blade Tools. Made In USA. Type: Replacement Blades. Packaging: Tuck/5. Blade Thickness: 0.009. Length (in.): 1-1/2"

27-9205-05

RAZOR BLADE REFILLS, 5 PER PACK

Pack

Signage

Exit Signs



Going green doesn't have to be expensive

The Federal Energy Management Program says that the best available exit sign product uses photo luminescent technology. What's more, the program directs all federal agencies to not purchase incandescent light bulb or tritium exit signs, and requires facility managers to replace them immediately.

There's no doubt about it. Buildings today are going green, and you need an easy, economical solution to reduce your carbon footprint. Get the green light with the zero energy, zero maintenance solution – the new, photo luminescent Glo Brite® Eco Exit™ Signs.

By replacing 100 incandescent exit signs in your building with eco-friendly, easy to install Glo Brite® Eco Exit™ Signs, you will save over \$3,500 a year in energy costs - while reducing air pollution by almost a half a million pounds of CO2 over the life of the product. Need more proof?

- **Zero** electricity to operate
- **Zero** wiring to run
- **Zero** bulbs or batteries to replace
- **Zero** toxic/radioactive materials
- **Zero** maintenance for 25+ years
- **Zero** problems with safe disposal

Specialty Supplies

Smash N Go



The Pioneer Smash 'N Go can help you go GREEN and save GREEN! Use less trash bags by compacting your trash! It can reduce volume by over half the space! Save time and money by not having to empty the trash as often! Save on labor costs and waste removal! Reduce the need to dump the trash during busy times, just Smash 'N Go! Work safer and cleaner by not having to put your hands and feet in the waste container again! Keep your facility cleaner without having overflowing waste containers! The Smash 'N Go has a 36" handle with 7" diameter base plate.



27-8058-07



SMASH 'N GO



Each

Stripping Shoes



Pioneer Strip Shoes can help reduce the chance of slipping by providing better traction on wet floors. These Strip Shoes fit over most normal footwear. They are ideal when stripping and/or mopping floors. These strip Shoes can help prevent slipping on wet surfaces including water, soap, wax and stripping solutions. Fully adjustable Velcro straps. Improves walking safety, therefore increasing productivity. May help reduce workman's compensation claims. They are very durable and industrial grade; Best value in the industry!! Available in 4 sizes: Small, Regular, Large and X-Large.

PC6000-S	SMALL (SHOE SIZE 6- 9½)	Pair
PC6000-R	REGULAR (SHOE SIZE 9½-11)	Pair
PC6000-L	LARGE (SHOE SIZE 11-14)	Pair
PC6000-XL	X-LARGE (SHOE SIZE 14+)	Pair





Specialty Supplies

Stripping Shoes



Over the shoe boot treads. 100% waterproof. Covers most work shoes up to the ankles. Abrasive outsoles adhere to shoes with special adhesive compound; use with harsh strippers, caustics, acids, solvents, other liquids and when stripping floors.

28-1373-02-2	SIZE: MEDIUM (8-9)	Pair
28-1373-02-3	SIZE: LARGE (10-11)	Pair
28-1373-02-4	SIZE: X-LARGE (12-13)	Pair
IP7313-2XL	SIZE: 2XL (14-15)	



Excellent skid resistance, 100% waterproof, covers most work shoes up to ankles, abrasive outsoles. Color: Black.

IP7313-2XL STRIPPING BOOTS, ANTI-SKIP TREADS, BLACK Pair

Tools

Fixi-Clamps

Grips clamp sponges, sold separately, rags, mop heads and cloths. Combined with an telescopic pole (sold separately), the clamp becomes a high-rise cleaning tool.



LBFIXI FIXI-CLAMP Each

Tape Measures



With blade lock. Blade remains rigid up to seven feet. Chrome case, belt clip. 1" wide x 25ft long.

24-425-09 POWERLOCK RETURN RULER Each

Water Keys



4-way Water Key: Fits sizes 1/4", 9/32", 5/16", and 11/32". Nice little tool to have when the faucet knob is missing.

KHH-19A 4-WAY WATER KEY Each

Specialty Supplies

Window Washing

Deionized Water Tank



Deionized Water Tank. 1.6 cubic ft. Mixed bed deionization resin. (2 different kinds of resin to remove all minerals.)

HIH2OTANK

DEIONIZED WATER TANK

Each

Detergent Dispenser



Detergent dispenser for use with dual hose window washing systems; item numbers TT13ADH, TT16ADH, TT30ADH, TT35ADH, and TT45ADH. Use with compressed detergent tablets, part number TTDETER-12.

TTC

DETERGENT DISPENSER, C METHOD

Each



Specialty Supplies

Window Washing

Tucker Pole Window Washing Systems



Tucker® Window Washer includes Tucker® Pole Tool, nylon brush, gooseneck, lightweight aluminum handles, dual hose, without detergent dispenser, which connects to a standard garden hose and can operate from an outside tap. Safe application, operator never leaves the ground No ladder or scaffolding required Saves up to 75% washing time Lightweight aircraft type aluminum units Only requires 42 PSI (2.5 bar).

TT13ADH	13' DUAL HOSE <i>Total length: 13' Sections: 2 at 4' each</i>	Each
TT16ADH	16' DUAL HOSE <i>Total length: 16' Sections: 3 at 4' each</i>	Each
TT16ASH	16' SINGLE HOSE <i>Total length: 16' Sections: 3 at 4' each</i>	Each
TT30ADH	30' DUAL HOSE <i>Total length: 30' Sections: 5 at 6' each</i>	Each
TT35ADH	35' DUAL HOSE <i>Total length: 35' Sections: 6 at 6' each</i>	Each
TT35ASH	35' SINGLE HOSE <i>Total length: 35' Sections: 6 at 6' each</i>	Each
TT45ADH	45' DUAL HOSE <i>Total length: 45' Sections: 8 at 6' each</i>	Each

Tucker® Exterior Maintenance System includes Tucker® Pole Tool, attached dual hose, Dema® Liquid Injector with one plastic tip included, gooseneck, nylon brush, lightweight aluminum handles. Connects to a standard garden hose and can operate from an outside tap. A variety of brushes, the tip kit and other accessories are sold separately. The Tucker® X Method Detergent Dispenser allows a water based detergent or chemistry to be incorporated with the Tucker® Exterior Maintenance System. Safe application, operator never leaves the ground Lightweight aircraft type aluminum units. Only requires 42 PSI (2.5 bar)

TT16X	16' DUAL HOSE <i>Total length: 16' Sections: 3 at 4' each</i>	Each
TT35X	35' DUAL HOSE <i>Total length: 35' Sections: 6 at 6' each</i>	Each

Specialty Supplies

Wipers

Microfiber Cloths



Once you use this microfiber cloth, you will not want to be without it! It is a knitted cloth with split fibers that contains a dense surface that you can use on almost any area, from removing heavy grease to fingerprints and dust. You can use it wet or dry depending on the cleaning task. It can be washed hundreds of times up to 210 degrees F / 90 degrees C.

14-005-03-4	RED	Each
14-005-03-5	BLUE	Each
14-005-03-6	CREAM	Each
14-005-03-9	GREEN	Each